

TAF II p250 Polyclonal Antibody

OVERVIEW

CATALOG NO.	PTX16516	SYNONYMS
SIZE	100 ug	TAF1; BA2R; CCG1; CCGS; TAF2A; Transcription initiation factor TFIID subunit 1; Cell cycle gene 1 protein; TBP-associated factor 250 kDa; p250;
HOST	Rabbit	Transcription initiation factor TFIID 250 kDa subunit; TAF(II)250; TAFII-250; TAFII250

PRODUCT INFORMATION

GENE NAME	TAF1
PROTEIN NAME	Transcription initiation factor TFIID subunit 1
IMMUNOGEN	Synthesized peptide derived from the Internal region of human TAF II p250. at AA range: 1100-1180

APPLICATIONS AND STORAGE

SPECIES REACTIVITY	Human,Mouse
TESTED APPLICATIONS	IHC,ELISA
RECOMMENDED DILUTION	Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications.
DELIVERY CONDITIONS	Blue Ice
STABILITY & STORAGE	PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. 4°C for short term (1 week), store at -20°C to -80°C for long term (1 year); Avoid repeated freeze-thaw cycles

For research use only.